

1. CT Fluoroscopy-Guided Lung Biopsy with Novel Steerable Biopsy Canula: Ex-Vivo Evaluation in Ventilated Porcine Lung Explants. Schaefer PJ, Fabel M, Bolte H, Schaefer FK, Jahnke T, Heller M, Lammer J, Biederer J. *Cardiovasc Intervent Radiol*. 2009 Dec 5.
2. Diagnosis of Popliteal Venous Entrapment Syndrome by Magnetic Resonance Imaging Using Blood-Pool Contrast Agents. Beitzke D, Wolf F, Juelg G, Lammer J, Loewe C. *Cardiovasc Intervent Radiol*. 2009 Sep 19
3. Evaluation of coronary stents with 64-MDCT: in vitro comparison of scanners from four vendors. Wolf F, Cademartiri F, Loewe C, Stadler A, Weber M, Lammer J, Feuchtner GM. *AJR Am J Roentgenol*. 2009 Sep;193(3):787-94.
4. Carotid Artery Stenting: Single-Center Experience Over 11 Years. Nolz R, Schernthaner RE, Cejna M, Schernthaner M, Lammer J, Schoder M. *Cardiovasc Intervent Radiol*. 2009 Aug 11
5. Nitinol stent implantation in long superficial femoral artery lesions: 12-month results of the DURABILITY I study. Bosiers M, Torsello G, Gissler HM, Rued J, Müller-Hülsbeck S, Jahnke T, Peeters P, Daenens K, Lammer J, Schroë H, Mathias K, Koppensteiner R, Vermassen F, Scheinert D. *J Endovasc Ther*. 2009 Jun;16(3):261-9.
6. Multidetector CTA in the quantification of internal carotid artery stenosis: value of different reformation techniques and axial source images compared with selective carotid arteriography. Puchner S, Popovic M, Wolf F, Reiter M, Lammer J, Bucek RA. *J Endovasc Ther*. 2009 Jun;16(3):336-42.
7. Endovascular repair of the descending aorta and the aortic arch with the Relay stent graft. Funovics M, Blum M, Langenberger H, Plank C, Schoder M, Edelhauser G, Gottardi R, Berzacky D, Dorfmeister M, Grimm M, Lammer J, Czerny M. *Ann Thorac Surg*. 2009 Aug;88(2):637-40.
8. Endovascular aortic arch repair: hopes and certainties. Schoder M, Lammer J, Czerny M. *Eur J Vasc Endovasc Surg*. 2009 Sep;38(3):255-61.
9. Long-term quality of life assessment among patients undergoing uterine fibroid embolization. Popovic M, Berzacky D, Puchner S, Zadina A, Lammer J, Bucek RA. *AJR Am J Roentgenol*. 2009 Jul;193(1):267-71.
10. Endovascular and conventional treatment of thoracic aortic aneurysms: a comparison of costs. Schuster I, Dorfmeister M, Scheuter-Mlaker S, Gottardi R, Hoebartner M, Roedler S, Dziodzio T, Juraszek A, Loewe C, Funovics M, Holfeld J, Dumfarth J, Zimpfer D, Schoder M, Lammer J, Grimm M, Czerny M. *Ann Thorac Surg*. 2009 Jun;87(6):1801-5.
11. Value of MDCT angiography in developing treatment strategies for critical limb ischemia. Schernthaner R, Fleischmann D, Stadler A, Schernthaner M, Lammer J, Loewe C. *AJR Am J Roentgenol*. 2009 May;192(5):1416-24.
12. Bail-out visceral bypass grafting for acute intestinal ischemia after endovascular stent-graft placement in a complicated type B dissection. Holfeld J, Gottardi R, Zimpfer D, Funovics M, Schoder M, Holzenbein T, Weigang E, Lammer J, Wolner E, Grimm M, Czerny M. *Thorac Cardiovasc Surg*. 2009 Mar;57(2):110-1
13. AMS INSIGHT--absorbable metal stent implantation for treatment of below-the-knee critical limb ischemia: 6-month analysis. Bosiers M, Peeters P, D'Archambeau O, Hendriks J, Pilger E, Düber C, Zeller T, Gussmann A, Lohle PN, Minar E, Scheinert D, Hausegger K, Schulte KL, Verbist J, Deloose K, Lammer J; AMS INSIGHT Investigators. *Cardiovasc Intervent Radiol*. 2009 May;32(3):424-35.
14. Balloon angioplasty versus stenting with nitinol stents in intermediate length superficial femoral artery lesions. Dick P, Wallner H, Sabeti S, Loewe C, Mlekusch W, Lammer J, Koppensteiner R, Minar E, Schillinger M. *Catheter Cardiovasc Interv*. 2009 Dec 1;74(7):1090-5.
15. Diagnosis of Popliteal Venous Entrapment Syndrome by Magnetic Resonance Imaging Using Blood-Pool Contrast Agents. Beitzke D, Wolf F, Juelg G, Lammer J, Loewe C. *Cardiovasc Intervent Radiol*. 2009 Sep 19
16. Evaluation of coronary stents with 64-MDCT: in vitro comparison of scanners from four vendors. Wolf F, Cademartiri F, Loewe C, Stadler A, Weber M, Lammer J, Feuchtner GM. *AJR Am J Roentgenol*. 2009 Sep;193(3):787-94.

17. Management of aortobronchial fistula developing 27 years after open aortic surgery by means of endovascular stent grafting. Hacker S, Langenberger H, Plank C, Gorlitzer M, Ehrlich M, Dolak W, Kreuzer S, Loewe C, Klepetko W, Ankersmit HJ. *J Thorac Cardiovasc Surg.* 2009 Apr 24
18. Renal artery stenosis predicts adverse cardiovascular and renal outcome in patients with peripheral artery disease. Amighi J, Schlager O, Haumer M, Dick P, Mlekusch W, Loewe C, Böhmig G, Koppensteiner R, Minar E, Schillinger M. *Eur J Clin Invest.* 2009 Sep;39(9):784-92.
19. Cardiac imaging. Loewe C. *Radiologe.* 2009 Apr;49(4):295-6.
20. Intramural left atrial haematoma mimicking cardiac tamponade after catheter ablation of atrial fibrillation. Kurek C, Gwechenberger M, Richter B, Binder T, Loewe C, Gössinger H. *Europace.* 2009 May;11(5):667-8.
21. Inflammation and adverse cardiovascular outcome in patients with renal artery stenosis and peripheral artery disease. Schlager O, Amighi J, Haumer M, Sabeti S, Dick P, Mlekusch W, Loewe C, Koppensteiner R, Minar E, Schillinger M. *Atherosclerosis.* 2009 Jul;205(1):314-8.
22. Octreotide treatment of patients with hepatocellular carcinoma--a retrospective single centre controlled study. Schöniger-Hekele M, Kettenbach J, Peck-Radosavljevic M, Müller C. *J Exp Clin Cancer Res.* 2009 Nov 3;28:142.
23. Stochastic rank correlation: a robust merit function for 2D/3D registration of image data obtained at different energies. Birkfellner W, Stock M, Figl M, Gendrin C, Hummel J, Dong S, Kettenbach J, Georg D, Bergmann H. *Med Phys.* 2009 Aug;36(8):3420-8.
24. A comparative study on manual and automatic slice-to-volume registration of CT images. Frühwald L, Kettenbach J, Figl M, Hummel J, Bergmann H, Birkfellner W. *Eur Radiol.* 2009 Nov;19(11):2647-53.
25. Delayed development of pneumothorax after pulmonary radiofrequency ablation. Clasen S, Kettenbach J, Kosan B, Aebert H, Schernthaner M, Kröber SM, Bömches A, Claussen CD, Pereira PL. *Cardiovasc Intervent Radiol.* 2009 May;32(3):484-90.
26. MDCT angiography for detection of pulmonary emboli: comparison between equi-iodine doses of iomeprol 400 mg/ml and iodixanol 320 mg/ml. Langenberger H, Friedrich K, Plank C, Matzek W, Wolf F, Storto ML, Schaefer-Prokop C, Herold C. *Eur J Radiol.* 2009 Jun;70(3):579-88.
27. Diffusion-weighted imaging for the follow-up of patients after matrix-associated autologous chondrocyte transplantation. Friedrich KM, Mamisch TC, Plank C, Langs G, Marlovits S, Salomonowitz E, Trattnig S, Welsch G. *Eur J Radiol.* 2009 Jan 30.
28. Sorafenib in unresectable hepatocellular carcinoma from mild to advanced stage liver cirrhosis. Pinter M, Sieghart W, Graziadei I, Vogel W, Maieron A, Königsberg R, Weissmann A, Kornek G, Plank C, Peck-Radosavljevic M. *Oncologist.* 2009 Jan;14(1):70-6. Epub 2009 Jan 14.
29. Imaging of cerebral arterial occlusive disease: do we really look for the right things? Bucek RA, Popovic M. *J Endovasc Ther.* 2009 Jun;16(3):343-4.
30. Long-term quality of life assessment among patients undergoing uterine fibroid embolization. Popovic M, Berzaczy D, Puchner S, Zadina A, Lammer J, Bucek RA. *AJR Am J Roentgenol.* 2009 Jul;193(1):267-71.
31. Quality of life in patients with idiopathic subclavian vein thrombosis. Berzaczy D, Popovic M, Reiter M, Puchner S, Weber M, Minar E, Bucek RA. *Thromb Res.* 2009 May 24.
32. Multislice computed tomography in infective endocarditis: comparison with transesophageal echocardiography and intraoperative findings. Feuchtner G, Stolzmann P, Dichtl W, Stolzmann P, Schertler T, Bonatti J, Scheffel H, Mueller S, Plass A, Mueller L, Bartel T, Wolf F, Alkadhi H. *J Am Coll Cardiol* 2009 Feb 3; 53(5):436-44.
33. Performance of integrated FDG-PET/contrast-enhanced CT in the staging and restaging of colorectal cancer: Comparison with PET and enhanced CT. Dirisamer A, Halpern BS, Flöry D, Wolf F, Beheshti M, Mayerhoefer ME, Langsteger W. *Eur J Radiol.* 2009 Feb 4. [Epub ahead of print]

34. Integrated contrast-enhanced diagnostic whole-body PET/CT as a first-line restaging modality in patients with suspected metastatic recurrence of breast cancer. Dirisamer A, Halpern BS, Flöry D, Wolf F, Beheshti M, Mayerhoefer ME, Langsteger W. *Eur J Radiol.* 2009 Jan 30. [Epub ahead of print]
35. Dedicated multi-detector CT of the esophagus: spectrum of diseases. Ba-Ssalamah A, Zacherl J, Noebauer-Huhmann IM, Uffmann M, Matzek WK, Pinker K, Herold C, Schima W. *Abdom Imaging.* 2009 Jan-Feb;34(1):3-18. Review. PMID: 17653787 [PubMed - indexed for MEDLINE]
36. Three-dimensional fracture visualisation of multidetector CT of the skull base in trauma patients: comparison of three reconstruction algorithms. Ringl H, Scherthaner R, Philipp MO, Metz-Schimmerl S, Czerny C, Weber M, Gäbler C, Steiner-Ringl A, Peloschek P, Herold CJ, Schima W. *Eur radiol.* 2009 Oct;19(10):2416-24. Epub 2009 May 14. PMID: 19440716 [PubMed - indexed for MEDLINE]
37. Sinonasal imaging after Caldwell-Luc surgery: MDCT findings of an abandoned procedure in times of functional endoscopic sinus surgery. Nemeč SF, Peloschek P, Kölblinger C, et al. *Eur J Radiol.* 2009;70(1):31-4.
38. Bevacizumab protects against sinusoidal obstruction syndrome and does not increase response rate in neoadjuvant XELOX/FOLFOX therapy of colorectal cancer liver metastases. Klinger M, Eipeldauer S, Hacker S, Herberger B, Tamandl D, Dorfmeister M, Kölblinger C, Grünberger B, Grünberger T. *Eur J Surg Oncol.* 2009;35(5):515-20.
39. Gadoxate-enhanced T 1-weighted MR cholangiography: comparison of 1.5 T and 3.0 T. Kölblinger C, Schima W, Weber M, et al. *Rofo* 2009;181(6):587-92.
40. Lymph node ratio after curative surgery for intrahepatic cholangiocarcinoma. Tamandl D, ..., Kölblinger C, Maresch J, et al. *Br J Surg.* 2009 Aug;96(8):919-25.